1999 Article Index

January

1999 Welding and Fabricating Buyer's Guide Issue

February

20-21 Robot Cell Drives Welding Productivity Through the Roof
22-24 The Fundamentals of Orbital Welding
28-30 Evaluating and Selecting Orbital Tube Welders
32-35 Weld-Head Selection Chart
38-41 Abrasive Selection Shapes Profits
42-46 Evaluating Fab-Shop Management Software
48-52 Arc Welding Fume Control

March

24-26 Electrode Additives Boost Arc Quality
36-41 AWS Lights Up St. Louis
42-45 AWS International Welding and Fabricating Exposition
20-22 Welders Move in Harmony to Keep The Pipeline Arcs Lit
28-32 Euro-Blech '98 a Stage for Welding

April

17-19 Fabricator Builds on Details
20-24 Engineering Steps to Select Robots
26-27 Robotic Welding Workcells
28-31 Design Efficiency and Safety into Robotic Fixtures
32-35 Job Shop Banks On Prototyping
36-37 Laser Cutting to 1mm Eliminates Rework
38-39 Software for the Art of Bending
42-48 Specialty Report: Weld Quality
50-51 Understanding CE Mark Requirements

May

20-23 Tungsten Carbide Adds Life to Mineral-Crushing Equipment
24-27 Portable Inverters Tackle All M&R Welding Needs
28-34 Thermal-Cutting Process Selection
36-37 Plasma Cutting Reduces Inventory
38-39 High Current Density Boosts Productivity
40-44 A Primer on Weldment Preheating and Interpass Temperature
46-49 Training and Lube Boost Saw Results
50-52 New AWS Specs Reduce Guesswork in Electrode Selection

June

24-28 Error-free Welds Join Cryogenic Tanks
29-30 Optimizing Oxyfuel-cut Edge Quality
32-35 Fuel Gases for Cutting, Welding and Heating
37-38 CO_2 Lasers Reach 95-percent Uptime
39-41 Robotic Welding Builds Modular Truck Frames
42-43 Robots Pulse-arc Weld Aluminum Engine Cradles
44-45 Welding Automation Leads to 30-Percent Growth
46-48 Audi Prototypes Cut with Multi-axis Laser
48-51 GMAW Builds Roadster Chassis
52-53 Robotic Welder Productivity Up Three Times
54-56 What's New in UT Equipment

July

18-21 Fabricator Skills Ease Bridge Fitup
22-24 Bridge Welding Global Style
Spl. 1-7 How the New Respiratory Standards Affect Welding, Brazing, and Thermal Cutting
Spl.11-15 Housekeeping and Ventilation Solve 85 Percent of Safety Problems
25-31 Cost-saving Ideas for Structural-weld Design
34-42 Window Shopping for Saws and Ironworkers
38-40 Select the Right Flux for Submerged-arc Welding
32-42 Nickel Alloys Designed for Performance

August

14-18 Ingalls to Upgrade Yard to Build Cruise Ship
20-22 Heat-input Control Limits Distortion and Spatter
24-45 Welding Research Spans the Globe
34-35 Inverter Size Shrinks While Capabilities Grow
36-41 Seed Grows Into Prosperous Laser-Cutting Business
42-45 How Much Should You Charge for a Welding Job?
46-47 Pressure, Flow Clues Help Improve Laser-cut Quality
48-49 Weld Process Effects Cracking

September

14-21 EPRI Promotes Sound Weld-Repair Procedures to Power Plants
22-23 Weld-overlay Process Reduces Boiler Outage
26-27 Hot-Wire GTAW Joins Heavy-Wall Pipe
28-31 Oxyfuel Gouging Removes Defects Preps Welds

32-35 Filler Metals Match Cast-Iron Types
39-43 Fume Exhausters Clear the Air
44-46 Shop Safeguards
48-52 Analyzing the Need for Machine Safeguarding
53-55 Safeguarding Techniques, Devices Geared for Robot Safety

October

12-46 FabTech International '99
14-17 Control Retrofit Upgrades Old Cutting Machines
20-26 Wise Selection Reduces Blade Cost
32-35 Builder Welds Studs For Steel-Framed Home

November

18-23 Employee Audits Improve Production
24-29 Job Shop Earns Jobs With Quality Welds
30-35 Listen: Employees Create Solutions
36-41 Following the Standard for Safe Welding
42-46 Machine Options Improve Roll Bending
47-49 Post-Weld Cleaning of Stainless Steels
50-51 Robot Moves Welding In-house

December

1999 Welding and Fabricating Equipment Handbook

BY SUBJECT

Abrasives **02/99**: 38-41; **02/99**: 38-41
Accident theory **09/99**: 48-52
Acetylene **06/99**: 32-35
Aluminum alloys **06/99**: 42-43
Aluminum engine cradle **06/99**: 42-43
Aluminum weld wire **06/99**: 48-51
Angle-beam transducers **06/99** 54-56
ANSI Z49.1 **11/99**: 36-41
Arc monitors **03/99**: 28-32
Arc tracking **06/99**: 24-28
Arc welding for homes **10/99**: 32-35
Arc-ending procedures **06/99**: 42-43
Arc-spot weld **10/99**: 32-35
Assist gases **06/99**: 37-38
ASTM **07/99**: 38-40
Automated pulsed gas-metal arc-welding **09/99**: 22-23
Automatic clamping **04/99**: 28-31
Automation **06/99**: 39-41; 42-43, 46-48, 48-51; **08/99**: 24-45
AWS D1.1 **06/99**: 54-56
Back-step gouging **09/99**: 28-31
Band saws **05/99**: 46-4; **10/99**: 20-26
Barrier guards **09/99**: 48-52; 53-55
Base materials **07/99**: 38-40
Bend pressure **11/99**: 42-46
Best practices **07/99**: 22-24
Bi-metal blades **10/99** : 20-26
Bids **08/99** : 42-45
Blade cost **10/99**: 20-26
Boiler-waterwall repairs **09/99**: 22-23
Bonded fluxes **07/99**: 22-24
Brazing **07/99**: Spl. 1-7
Bridge components **07/99**: 18-21
Bridge fitup **07/99**: 18-21
Bridge welding **07/99**: 22-24
CAD/CAM **04/99** : 38-39; **05/99**: 28-34, 36-37; **06/99**: 46-48
CO_2 Lasers **06/99**: 37-38, 46-48; **08/99**: 46-47
Calculating welding costs **08/99**: 42-45
Camber **07/99**: 18-21
Cast iron electrodes **09/99**: 32-35
Castings **09/99**: 32-35
CE marking requirements **04/99**: 50-51
Cerium-oxide **03/99**: 24-26
Certification **11/99**: 24-29
Check valves **09/99**: 28-31
Chevron cracking **04/99**: 42-48
Chip brush **10/99**: 20-26
Chisels **11/99**: 47-49
Chromium **11/99**: 47-49
Circumferential joints **07/99**: 38-40
Clamshell welds **09/99**: 14-21
Clean air **09/99**: 39-43
Clean-up costs **05/99**: 38-39
CNC equipment **07/99** 18-21
Coatings **07/99**: 32-42
Codes and standards **05/99**: 40-44; **07/99**: 38-40
Computer controls**02/99**: 22-24
Concentricity **11/99**: 42-46
Consumable costs **05/99**: 28-34
Consumables **08/99**: 42-45
Controls **03/99**: 28-32
Coordinate-measuring machines **06/99**: 46-48
Correction devices **04/99**: 28-31
Corrosion **07/99**: 32-42; **09/99**: 22-23; **11/99**: 47-49
Cracked welds **04/99**: 42-48; **08/99**: 48-49; **09/99**: 14-21;
Creep-cavitation damage **09/99**: 14-21
Cross-training **11/99**: 30-35
Cryogenic tanks **06/99**: 24-28
Cut quality **05/99**: 28-34; **08/99**: 46-47
Cutting speed **05/99**: 28-34, 46-4; **08/99**: 46-47
Cut-edge conditions **06/99**: 29-30
Cutting machines **10/99**: 14-17
Cutting processes **06/99**: 32-35
Deformation **09/99**: 22-23
Deposition rates **07/99**: 25-31
Die-change plates **11/99**: 50-51
Double-sided groove welds **07/99**: 25-31
Downtime **08/99**: 42-45
Drag line patterns **06/99**: 29-30
Drive systems **10/99**: 14-17
Driving-roll force **11/99**: 42-46
Droplet transfer **03/99**: 28-32
Dump-truck hoists and bodies **05/99**: 36-37
Eddy-current testing **04/99**: 42-48
Electrical devices **09/99**: 53-55
Electrode additives **03/99**: 24-26

Electrode selection **05/99**: 50-52
Electrodes for M & R **09/99**: 32-35
Electrodes for weld hardness **09/99**: 32-35
Electronic side-roll leveling **11/99**: 42-46
Electroslag welding **08/99**: 24-45
Employees **11/99**: 30-35
Energy costs **08/99**: 42-45
Energy-beam welding **08/99**: 24-45
Erection welding **08/99**: 14-18
Ergonomic controls **11/99**: 42-46
Exposure limits **02/99**: 48-52
Extruded aluminum beams **06/99**: 42-43
Extrusions **06/99**: 42-43
Eyes **11/99**: 36-41
Fabricating pressure vessels **04/99**: 17-19
Fabricating prototypes **04/99**: 32-35
Fabricating software **02/99**: 42-46
Fabricators **07/99**: 34-42
Fabtech International '99 **10/99**: 12-46
Fatigue details **07/99**: 25-31
FCAW **10/99**: 32-35
Feed systems **10/99**: 20-26
Fiberoptic cable **06/99**: 37-38
Filler metals **05/99**: 38-39; **08/99**: 42-45; **09/99**: 32-35;
Fillet welds **07/99**: 25-31
Fire-prevention **11/99**: 36-41
Fixture ergonomics **04/99**: 28-31
Fixture tables **11/99**: 50-51
Flame gouging **09/99**: 28-31
Flash-butt welding **08/99**: 24-45
Flux selection **07/99**: 38-40
Flux-cored wires **05/99**: 50-52
Frame design **06/99**: 39-41
Fuel gases **06/99**: 32-35
Full-seam x-ray **06/99**: 24-28
Fumes and gases **02/99**: 48-52; **09/99**: 39-43; **11/99**: 36-41
Fused fluxes **07/99**: 22-24
Galvanized sheet **08/99**: 24-45
Gas quality **08/99**: 36-41
Gas-metal-arc welding **06/99**: 48-51; **07/99**: 22-24; **11/99**: 50-51
Gas-pressure gages **09/99**: 28-31
Gas-tungsten-arc welding **08/99**: 34-35
Global welding **08/99**: 24-45
GMAW **04/99**: 17-19; **06/99**: 48-51
Graphite-type electrodes **09/99**: 32-35
Groove welds **07/99**: 38-40; **09/99**: 14-21
GTAW **08/99**: 34-35
Gun angle **06/99**: 39-41
Habitat for humanity **10/99**: 32-35
Hardfacing **05/99**: 20-23
Heat-affected zone **09/99**: 28-31
Heat-input control **08/99**: 20-22
High current density **05/99**: 38-39
Hold-time sensitivity **08/99**: 48-49

Change downtime to uptime.

Spot welding

Tool Changers for stud and spot welding

XChange has a lifetime guarantee on its fail-safe latching mechanism. All necessary utilities are automatically passed to the end of arm tooling. Use XChange to change to back up end-of-arm tooling automatically and efficiently. Also changes tools for quick process changeovers and to perform multiple processes.


Stud welding

Collision Sensors for arc welding, laser and plasma cutting

QuickSTOP senses angular, rotational and compressive overload forces. Our metal-to-metal seal holds the unit rigid maintaining clean cuts and welds.


Arc welding

In addition to tool changers and collision sensors, we also offer:

- Compliancy Devices
- Smartscan Safety Light Curtains
- Connectors
- QuickConnect Systems
- Force Sensors
- phd Grippers
- Piab Vacuum Products

Applied Robotics

The leader in connection technology

Applied Robotics, Inc.
648 Saratoga Road, Glenville, NY 12302 USA
Tel (518) 384-1000 FAX (518) 384-1200
Email:info@arobotics.com

http://www.arobotics.com

Circle **25** on Reader Service Card

Hoses **09/99**: 28-31
Hot-wire GTAW **09/99**: 26-27
Housekeeping **07/99**: Spl.11-15
HVAC applications **05/99**: 24-27
Hydroformed tubes **06/99**: 39-41
Hydrogen **04/99**: 42-48; **06/99**: 32-35; **07/99**: 38-40
Inclusions **04/99**: 42-48; **11/99**: 47-49
Incomplete penetration **04/99**: 42-48
Increased output **11/99**: 30-35
Interlock switches **09/99**: 48-52
Interpass temperature **05/99**: 40-44
Inverters **05/99**: 24-27; **08/99**: 34-35; **11/99**: 50-51
Iron contamination **11/99**: 47-49
Ironworkers **07/99**: 18-21; 34-42
Jig fixture **04/99**: 28-31
Job-shops **02/99**: 20-21; **04/99**: 32-35; **08/99**: 42-45; **11/99**: 24-29
Joint design **06/99**: 42-43; **07/99**: 25-31, 38-40; **09/99**: 26-27
Labor **08/99**: 42-45
Lack of fusion **04/99**: 42-48
Lamellar tearing **04/99**: 42-48
Lap and T joints **06/99**: 42-43
Large structures **07/99**: 18-21
Laser gases **08/99**: 46-47
Laser-beam cutting **04/99**: 36-37; **05/99**: 28-34; **06/99**: 37-38, 46-48; **08/99**: 36-41, 46-47;
Lasers **03/99**: 28-32
Level **07/99**: 38-40
Lifting and handling **06/99**: 52-53
Light curtains **09/99**: 48-52, 53-55
Line-item charges **08/99**: 42-45
Liquid penetrant testing **04/99**: 42-48
Locating safeguarding devices **09/99**: 53-55
Longitudinal seam welds **04/99**: 42-48; **09/99**: 14-21
Low heat input **09/99**: 32-35
Low-hydrogen fluxes **07/99**: 38-40
Low-vacuum systems **09/99**: 39-43
MAPP **06/99**: 32-35
M42-edged **10/99**: 20-26
Machine guarding **09/99**: 44-46, 48-52, 53-55
Magnetic particle testing **04/99**: 42-48
Maintenance and repair welding **05/99**: 24-27
Malleable-cast iron **09/99**: 32-35
Manifolds and piping valve components **04/99**: 17-19
Material composition **08/99**: 48-49
Material thickness **07/99**: 38-40
Matrix-edged products **10/99**: 20-26
Measurement and control **05/99**: 40-44
Mechanical devices **09/99**: 53-55
Mechanical properties **05/99**: 40-44; **07/99**: 32-42
Mechanization **08/99**: 24-45
Metal-cored wires **05/99**: 38-39
Methane **06/99**: 32-35
Microstructures **05/99**: 40-44; **08/99**: 48-49
Mineral crushing **05/99**: 20-23
Minimizing scrap **04/99**: 38-39
Minimizing welding costs **07/99**: 25-31
Mufflers **11/99**: 50-51
Narrow-groove welding **09/99**: 26-27
Nd:Yag laser **06/99**: 37-38
New materials **08/99**: 24-45
Nickel alloys **07/99**: 32-42
Nickel wire **09/99**: 32-35; **07/99**: 32-42; **09/99**: 32-35
Nondestructive testing **04/99**: 42-48
Nonferrous wire **08/99**: 24-45
PC-based controls **10/99**: 14-17
Operator factor **08/99**: 42-45
Optoelectronic devices **09/99**: 44-46
Orbital welding **02/99**: 22-24; **09/99**: 14-21
OSHA **07/99**: Spl.11-15
Oxide films **11/99**: 47-49
Oxyfuel cutting **06/99**: 29-30, 32-35
Oxyfuel gouging **09/99**: 28-31
Oxygen **06/99**: 32-35; **06/99**: 37-38; **11/99**: 47-49
Partial-penetration groove welds **07/99**: 25-31
Perimeter guarding **09/99**: 44-46
Pipeline welding **03/99**: 20-22; **09/99**: 26-27
Planetary guides **11/99**: 42-46
Plasma arc cutting **04/99**: 36-37; **05/99**: 28-34, 36-37; **11/99**: 30-35
Plasma-arc cutting table **11/99**
Plate edges **09/99**: 28-31
Post-weld cleaning **11/99**: 47-49
Power plants **09/99**: 14-21, 22-23, 26-27
Power supplies **08/99**: 14-18
Precision girders **07/99**: 18-21
Preheating **05/99**: 40-44; **06/99**: 29-30; **07/99** 22-24; **08/99**: 24-45
Press brakes **04/99**: 38-39
Pressure **08/99**: 46-47
Procedures **11/99**: 24-29
Production cycles **11/99**: 30-35
Productivity **06/99**: 52-53
Profit **07/99**: Spl.11-15
Programming **04/99**: 20-24
Progressive gouging **09/99**: 28-31
Propane **06/99**: 32-35
Propylene **06/99**: 32-35
Pull-back devices **09/99**: 48-52
Pulse procedures **06/99**: 42-43
Pulsed-GMAW power supplies **06/99**: 42-43
R & D programs **08/99**: 24-45
R15.06-1999 **09/99**: 53-55
Rake angle **10/99**: 20-26
Rebuilding components **09/99**: 14-21
Reduce weld-metal volume
Regulatory bodies **02/99**: 48-52
Reheat **04/99**: 42-48; **09/99**: 14-21
Repair procedures **09/99**: 14-21
Repeatable fusion welds **02/99**: 28-30
Research **08/99**: 24-45
Resistance welding **08/99** 24-45, 48-49

Resonators **08/99**: 46-47;
Respirators **07/99**: Spl. 1-7; **11/99**: 36-41
Retrofit **10/99**: 14-17
RF/capacitance devices **09/99**: 53-55
Risk assessment **09/99**: 48-52
Robot cells **04/99**: 20-24; **11/99**: 50-51
Robot parameters **04/99**: 20-24
Robot standards **09/99**: 53-55
Robotic applications **07/99**: 32-42
Robotic fixture safety **04/99**: 28-31
Robotic machines **08/99**: 14-18
Robotic welding **02/99**: 20-21; **03/99**: 28-32; **04/99**: 20-24, 26-27, 28-31, 32-35; **06/99**: 42-43, 46-48, 52-53; **07/99**: 22-24; **11/99**: 50-51
Roll-bending machines **11/99**: 42-46
Root openings **07/99**: 25-31
Rust **11/99**: 47-49
Safety **07/99**: Supl. 1-7, Spl.11-15; **09/99**: 36-41, 48-52, 53-55
Saw blade **10/99**: 20-26
Sawing fluid **10/99**: 20-26
Saws **07/99**: 34-42
Scanning welds **04/99**: 42-48
Seam-weld overlay **09/99**: 14-21
Setup **08/99** 48-49
Setup time **04/99**: 38-39
Shallow gullet **10/99**: 20-26
Shape-cutting equipment **10/99**: 14-17
Shear nesting **04/99**: 38-39
Shielded-metal-arc welding **03/99**: 20-22; **07/99**: 22-24
Shielding gas **02/99**: 48-52; **08/99**: 42-45
Shipbuilders**06/99**: 52-53
Shop safeguards **09/99**: 44-46
Shrinkage **09/99**: 32-35
Slag **06/99**: 29-30; **11/99**: 47-49
Software **03/99**: 28-32; **04/99**: 38-39; **06/99**: 54-56
Solid inclusions **04/99**: 42-48 cavities and porosity
Solidification-induced hot tearing **04/99**: 42-48
Sources of robotic welding cells **04/99**: 20-24
Spot gouging **09/99**: 28-31
Spot-welding **06/99**: 54-56; **08/99** 48-49
Spray transfer **06/99**: 42-43
Stainless steel **08/99**: 24-45; **11/99**: 47-49
Stamped components **06/99**: 39-41
Statistical process control **03/99**: 24-26
Steady pulse **06/99**: 46-48
Steel fabrication **04/99**: 17-19
Steel-framed homes **10/99**: 32-35
Straight-beam transducers **06/99** 54-56
Strippage **10/99**: 20-26
Structural welding **07/99**: 18-21, 22-24, 25-31
Submerged-arc welding **06/99**: 24-28; **07/99**: 18-21, 38-40
Surfacing **09/99**: 14-21
Tack welds **11/99**
Tandem-arc robot welding machine **11/99**
Teach-head technology **06/99**: 46-48
Teeth per inch **10/99**: 20-26
Test weld properties **07/99**: 38-40
Thermal cutting**04/99**: 36-37; **05/99**: 28-34; **07/99**: Spl. 1-7; **10/99**: 14-17
Tight tolerances **06/99**: 39-41
Tip-to-work distance **06/99**: 29-30
Tooth forms **10/99**: 20-26
Total welding costs **08/99**: 42-45
Tracking band wheels **10/99**: 20-26
Tractor-mounted ultrasonic inspection **09/99**: 14-21
Training **06/99**: 52-53; **11/99**: 24-29
Transducers **06/99** 54-56
Transportation **08/99**: 14-18, 20-22
Travel speed **06/99**: 29-30
Tubular GTAW 02/99: 32-35
Tubular wire **05/99**: 50-52
Tungsten carbide **05/99**: 20-23
Tungsten electrodes **03/99**: 22-24, 24-26
Turret-punch **08/99**: 36-41
Two-axis gantry **09/99**: 22-23
Ultrasonic testing **04/99**: 42-48; **06/99**: 54-56
Unzipping **09/99**: 14-21
Vacuum chambers **04/99**: 17-19
Ventilation **11/99**: 36-41
Vibrator feeder assembly **05/99**: 20-23
Visual inspection **04/99**: 42-48
Wages **08/99**: 42-45
Water-assisted cutting **06/99**: 37-38
Weld flaws **04/99**: 42-48
Weld heads **02/99**: 32-35
Weld position **07/99**: 38-40
Weld quality **04/99**: 42-48
Weld wire **06/99**: 39-41
Weld-bead shape **07/99**: 25-31
Weld-overlay **09/99**: 22-23
Weldability **07/99**: 38-40
Welding achievement awards **11/99**: 24-29, 30-35
Welding automation **08/99**: 14-18
Welding costs **09/99**: 14-21
Welding fixtures **04/99**: 28-31
Welding process **08/99**: 48-49
Welding research **08/99**: 24-45
Wheel loader frame **11/99**
Wire feeder **06/99**: 48-51
Wire speed **11/99**: 30-35
Wire-welding processes **07/99**: 22-24
Worktables **11/99**: 30-35
X-ray acceptance **06/99**: 24-28
Yag laser **03/99**: 28-32
Yttrium **03/99**: 24-26